

By Bobby Grisso, P.E., Extension Specialists, Biological Systems Engineering,
Virginia Tech, Blacksburg, VA 24061-0303

rgrisso@vt.edu

Table 2. Twin nozzles configurations and the corresponding pressure and travel speed ranges to achieve “Medium” droplets at a 20” nozzle spacing and 20 GPA.

Spacing= 20		Pressure Range (psi)		Speed Range (mph)	
	GPM	Low	High	Low	High
XR8002	0.2	15	30	3.6	5.1
XR11002	0.2	15	20	3.6	4.2
TP8002	0.2	30	35	5.1	5.6
DG8002	0.2	30	60	5.1	7.3
DG11002	0.2	30	60	5.1	7.3
TT11002	0.2	30	80	5.1	8.4
XR8003	0.3	15	50	5.5	10.0
XR11003	0.3	15	25	5.5	7.0
TP8003	0.3	30	50	7.7	10.0
DG8003	0.3	35	60	8.3	10.9
DG11003	0.3	35	60	8.3	10.9
TT11003	0.3	50	90	10.0	13.4
TJ60-6503	0.3	30	35	7.7	8.3
XR8004	0.4	25	60	9.4	14.5
XR11004	0.4	15	40	7.3	11.9
TP8004	0.4	30	60	10.3	14.5
TP11004	0.4	30	40	10.3	11.9
DG8004	0.4	50	60	13.3	14.5
DG11004	0.4	40	60	11.9	14.5
TT11004	0.4	70	90	15.7	17.8
TJ60-6504	0.4	30	50	10.3	13.3
TJ60-8004	0.4	30	35	10.3	11.1
XR8005	0.5	40	60	14.9	18.2
XR11005	0.5	15	50	9.1	16.6
TP8005	0.5	35	60	13.9	18.2
TP11005	0.5	30	50	12.9	16.6
DG8005	0.5	50	60	16.6	18.2
DG11005	0.5	50	60	16.6	18.2
TT11005	0.5	80	90	21.0	22.3
XR11006	0.6	25	60	14.1	21.8
TP11006	0.6	30	60	15.4	21.8
TT11006	0.6	80	90	25.2	26.7
TJ60-6508	0.6	30	60	15.4	21.8
TJ60-8008	0.6	30	60	15.4	21.8
TJ60-11008	0.6	30	40	15.4	17.8
XR11008	0.8	50	60	26.6	29.1
TP11008	0.8	50	60	26.6	29.1
TT11008	0.8	80	90	33.6	35.6
TJ60-6508	0.8	50	60	26.6	29.1
TJ60-8008	0.8	35	60	22.2	29.1
TJ60-11008	0.8	30	60	20.6	29.1
TJ60-8010	1.0	50	60	33.2	36.4
TJ60-11010	1.0	30	60	25.7	36.4